

2025-2027年度公用工程岛动力岛压力容器、 压力管道提前检验工作澄清说明

各供应商：

1. 现对采购文件第五章《任务书》中5.2压力管道设备清单中的
标黄部分进行标注，标注后的内容详见如下：

序号	管线号	管道级别	设计温度(℃)	设计压力(MPa)	公称直径(mm)	公称壁厚(mm)	材质	长度(m)	焊口数量(只)	弯头数量(只)
1	F20091S-J4102-01	GCD	545	14.385	325	36	12Cr1MoVG	497	103	31
2	F20091S-J130202-03	GCD	247.3	3.7	194	10	12Cr1MoVG	43.7	33	16
					159	5	20			
3	F20091S-J130202-05	GCD	247.3	3.7	194	10	12Cr1MoVG	27.8	24	12
					159	5	20			
4	F20091S-J130202-07	GCD	247.3	3.7	194	10	12Cr1MoVG	41.1	28	12
					159	5	20			
5	F20091S-J130202-09	GCD	247.3	3.7	194	10	12Cr1MoVG	21.3	25	12
					159	5	20			
6	F20091S-J130202-11	GCD	201.4	1.5	194	7	12Cr1MoVG	47.9	34	16
					159	5	20			
7	F20091S-J130202-13	GCD	201.4	1.5	194	7	12Cr1MoVG	30.9	26	12
					159	5	20			
8	F20091S-J130202-15	GCD	201.4	1.5	194	7	12Cr1MoVG	45.2	28	12
					159	5	20			
9	F20091S-J130202-17	GCD	201.4	1.5	194	7	12Cr1MoVG	24.4	25	12
					159	5	20			
10	F20091S-J0702-01	GCD	395	1.5	60	2.8	20	280	116	36
			200		76	2.8				
11	F20091S-J0913-01	GCD	395	1	219	6	20	29.4	22	11
12	F20091S-J0913-03	GCD	395	1.5	219	6	20	29.4	22	11
13	F20091S-J0913-05	GCD	395	1.5	219	6	20	29.2	23	12
14	F20091S-J0913-07	GCD	395	1.5	219	6	20	29.5	22	11

15	F20091S-J0915-01	GCD	371.4	1.5	133	5.5	20G	35.7	25	12
16	F20091S-J0915-03	GCD	371.4	3.7	133	5.5	20G	34.9	25	12
17	F20091S-J0915-05	GCD	371.4	3.7	133	5.5	20G	69.2	42	20
18	F20091S-J1310-03-01	GCD	201.4	3.7	219	6	20	26.3	23	11
					219	8	12Cr1MoVG			
					108	4	20			
19	F20091S-J1310-03-02	GCD	201.4	1.5	219	6	20	25.2	24	12
					219	8	12Cr1MoVG			
					108	4	20			
20	F20091S-J1310-03-03	GCD	201.4	1.5	219	6	20	23.8	23	11
					219	8	12Cr1MoVG			
					108	4	20			
21	F20091S-J1310-03-04	GCD	201.4	1.5	219	6	20	21.2	21	10
					219	8	12Cr1MoVG			
					108	4	20			
22	F20091S-J1310-05	GCD	201.4	1.5	219	8	12Cr1MoVG	166.1	71	28
					114	4.5				
23	F20091S-J1310-07	GCD	201.4	1.5	219	8	20	32.5	23	9
					168	5	12Cr1MoVG			
24	F20091S-J1310-09	GCD	201.4	1.5	219	8	20	23.9	26	11
					168	5	12Cr1MoVG			
25	F20091S-J1310-11	GCD	201.4	1.5	219	8	20	43.1	27	11
					168	5	12Cr1MoVG			
26	F20091S-J1310-13	GCD	201.4	1.5	219	8	20	10.2	17	7
					168	5	12Cr1MoVG			
27	F20091S-J3704-01	GC2	100	1.9	457	9	20	169.4	60	28
					377					
28	F20091S-J3704-03	GC2	100	1.9	325	7.5	20	13.7	10	5
29	F20091S-J3704-05	GC2	100	1.9	325	7.5	20	14.1	10	5
30	F20091S-J3704-07	GC2	100	1.9	325	7.5	20	13.8	10	5
31	F20091S-J3704-09	GC2	100	1.9	325	7.5	20	17.9	8	4
32	F20091S-J3704-11	GC2	100	1.9	219	6	20	15.8	15	7
33	F20091S-J3704-13	GC2	100	1.9	219	6	20	15.9	14	7
34	F20091S-J3704-15	GC2	100	1.9	219	6	20	15.9	13	6

35	F20091S-J3704-17	GCD	100	1.9	219	6	20	16.1	17	8
36	F20091S-J3902-01	GCD	355	1.6	219	6	20	149.1	75	28
					159	4				
37	F20091S-J0816-01	GCD	545	14.385	325	36	12Cr1MoVG	87.5	27	13
38	F20091S-J0817-01	GCD	545	14.385	159	14	12Cr1MoVG	33.7	15	10
					89	10				
39	F20091S-J0817-05	GCD	545	14.385	159	14	12Cr1MoVG	24.2	32	12
					89	10				
40	F20091S-J0909-01	GCD	434	5.6	325	13	15CrMoG	48.4	44	16
						22	12Cr1MoVG			
41	F20091S-J0909-04	GCD	434	5.6	325	13	15CrMoG	55.2	48	18
						22	12Cr1MoVG			
42	F20091S-J4103A-01-01	GCD	434	5.6	630	22	15CrMoG	43.5	25	9
43	F20091S-J4103A-01-02	GCD	434	5.6	630	22	15CrMoG	43.3	48	16
					426	16				
44	F20091S-J4103A-01-03	GCD	434	5.6	426	16	15CrMoG	33.6	27	8
					325	13				
45	F20091S-J4103A-01-04	GCD	434	5.6	426	16	15CrMoG	49.1	25	10
46	F20091S-J4103A-01-05	GCD	434	5.6	426	16	15CrMoG	56	35	13
					273	11				
47	F20091S-J4103A-01-06	GCD	434	5.6	273	11	15CrMoG	29.7	19	8
48	F20091S-J4103A-01-07	GCD	434	5.6	325	13	15CrMoG	49.5	20	8
49	F20091S-J4106A-01-01	GCD	434	5.6	426	18	20G	23.8	20	7
			371.4	3.7	325	13	15CrMoG			
50	F20091S-J4106A-01-02	GCD	434	5.6	426	18	20G	21.6	20	7
			371.4	3.7	325	13	15CrMoG			
51	F20091S-J4106A-01-03	GCD	434	5.6	426	18	20G	26.5	20	7
			371.4	3.7	325	13	15CrMoG			
52	F20091S-J4106A-01-04	GCD	434	5.6	426	18	20G	25.4	24	10
			371.4	3.7	325	13	15CrMoG			
53	F20091S-J4107-01-01	GCD	395	1.5	864	20	20	11.2	18	8
	F20091S-		434	5.6	610	15	20			

54	J4107-01-02	GCD						25.4	20	7
			395	1.5	273	11	15CrMoG			
55	F20091S-J4107-01-03	GCD	434	5.6	610	15	20	26.6	20	7
			395	1.5	273	11	15CrMoG			
56	F20091S-J4107-01-04	GCD	434	5.6	610	15	20	24.4	20	7
			395	1.5	273	11	15CrMoG			
57	F20091S-J3706-01	GC1	/	/	76	7	20G	130	66	20
						2.8				
58	F20091S-J1002-01	GCD	395	1.5	426	10	20	128.3	70	33
					273	6.5				
					219	6				
59	F20091S-J1003-01	GCD	395	1.5	406	9.5	20	30.2	27	14
60	F20091S-J1004-01	GCD	395	1.5	325	7.5	20	126.5	131	58
61	F20091S-J1303-01	GC2	182.9	0.9	219	6	20	29	30	14
62	F20091S-J1303-03	GC2	182.9	0.97	219	6	20	74.5	40	20
63	F20091S-J1303-05	GC2	182.9	0.9	219	6	20	38.2	25	12
64	F20091S-J1303-07	GC2	182.9	0.97	219	6	20	24.3	35	17
65	F20091S-J1303-09	GC2	182.9	0.9	219	6	20	36.3	31	13
66	F20091S-J1303-11	GC2	182.9	0.97	219	6	20	67.4	46	22
67	F20091S-J1303-13	GC2	182.9	0.9	219	6	20	31.8	26	10
68	F20091S-J1303-15	GC2	182.9	0.97	219	6	20	36.5	24	11
69	F20091S-J0910-01	GCD	395	1.5	530	13	20	209.5	109	49
					610	15				
					273	6.5				
					864	20				
70	F20091S-J0912-01	GCD	374	3.7	377	9	20G	44.1	46	15
					273	11				
71	F20091S-J4104A-01	GCD	371.4	3.7	457	19	20G	530.1	196	74
					377	16				
					610	25				
					426	18				
					325	13				
72	F20091S-J0818-01	GCD	545	14.385	325	36	12Cr1MoVG	23.4	23	7
73	F20091S-J0818-03	GCD	434	5.6	426	16	15CrMoG	19.9	22	10
					377	14				
					159	6				
74	F20091S-J0818-05	GCD	545	14.385	325	36	12Cr1MoVG	22.8	23	7

75	F20091S-J0818-07	GCD	434	5.6	426	16	15CrMoG	23.8	27	10
					377	14				
					159	6				
76	F20091S-J0818-09	GCD	545	14.385	325	36	12Cr1MoVG	15.4	19	7
77	F20091S-J0818-11	GCD	434	5.6	426	16	15CrMoG	55.2	40	14
					377	14				
					159	6				
78	F20091S-J0818-13	GCD	545	14.385	325	36	12Cr1MoVG	16.1	21	7
79	F20091S-J0818-15	GCD	434	5.6	426	16	15CrMoG	60.7	38	14
					377	14				
					159	6				
80	F20091S-J0914-01	GCD	395	1.5	530	13	20	186.5	66	28
81	F20091S-J0914-02	GCD	395	1.5	406	9.5	20	13	16	8
					273	6.5				
					114	2.8				
82	F20091S-J0914-03	GCD	395	1.5	406	9.5	20	21.1	26	13
					273	6.5				
					114	2.8				
83	F20091S-J0914-04	GCD	395	1.5	406	9.5	20	13	16	8
					273	6.5				
					114	2.8				
84	F20091S-J0914-05	GCD	395	1.5	406	9.5	20	13	16	8
					273	6.5				
					114	2.8				
85	F20091S-J0607-01	GC2	205	1.6	114	2.8	20	63.8	32	14
86	F20091S-J0607-03	GCD	205	1.6	219	6	20	5.8	6	3
87	F20091S-J0607-05	GC2	205	1.6	114	2.8	20	58.4	46	21
88	F20091S-J0607-07	GCD	205	1.6	219	6	20	5.7	6	3
89	F20091S-J1005-03	GCD	395	1.5	114	2.8	20	66.6	30	15
90	F20091S-J1005-05	GCD	395	1.5	114	2.8	20	31.9	31	14
91	F20091S-J1005-07	GCD	395	1.5	114	2.8	20	64.4	30	15
92	F20091S-J1005-09	GCD	395	1.5	114	2.8	20	75.1	31	15
93	F20091S-J1005-11	GCD	395	1.5	89	2.5	20	73.7	22	12
94	F20091S-J1005-13	GCD	395	1.5	89	2.5	20	30	28	10
95	F20091S-J1005-15	GCD	395	1.5	89	2.5	20	76.3	20	12
96	F20091S-J1006-03	GCD	395	1.5	325	7.5	20	351.4	78	20
97	F20091S-	GCD	395	1.5	159	4	20	64.8	32	15

	J1006-06				114	2.8				
98	F20091S-J1006-10	GCD	395	1.5	114	2.8	20	114	50	25
					89	2.8				
99	F20091S-J1006-12	GCD	395	1.5	60	2.8	20	221	76	14
100	F20091S-J1006-14	GCD	395	1.5	89	2.8	20	107.2	59	24
101	F20091S-J1006-16	GCD	395	1.5	89	2.8	20	59.1	66	31
102	F20091S-J1007-01	GCD	395	1.5	60	2.8	20	450	255	90
					70					
103	F20091S-J1008-03	GCD	395	1.5	140	3.2	20	152.7	70	25
104	F20091S-J1106-03	GC2	159	7.81	168	9	20G	583.1	208	104
					60	3.9				
					76	4.5				
105	F20091S-J1308-01	GC2	200	4	168	5	20	145	66	32
106	F20091S-J1308-03	GC2	200	4	168	5	20	112.8	56	27
107	F20091S-J3802-03	GCD	400	1	168	3.5	20	29.2	17	8
108	F20091S-J3802-07	GCD	400	1	168	3.5	20	30.7	17	9
109	F20091S-J3802-11	GCD	400	1	114	2.8	20	20.4	17	8
110	F20091S-J3802-15	GCD	400	1	114	2.8	20	31.6	17	9
111	F20091S-J3803-01	GC2	355	1.6	168	4	20	77.8	63	30
112	F20091S-J3803-03	GC2	355	1.6	168	4	20	34.6	63	29
113	F20091S-J3804-01	GC2	100	1.6	159	4	20	124.7	110	50
					60	2.8				
114	F20091S-J3804-04	GC2	100	1.6	219	6	20	14.2	38	20
115	F20091S-J3804-08	GC2	100	1.6	114	2.8	20	5	4	2
116	F20091S-J3805-01	GC2	100	1.6	219	6	20	151.4	67	30
					114	2.8				
117	F20091S-J4002-07	GCD	90	0.1	140	3.2	20	44.5	32	16
118	F20091S-J4002-13	GCD	90	0.1	140	3.2	20	35.6	32	16
119	F20091S-J4105-01	GCD	371.4 280	3.7 2.0	530	17	20G	104.4	58	23
					377	16				
					377	12				

					508	16				
120	J3502-1	GC2	50	1.6	406	9.5	20	275	52	13
121	J3502-4	GC2	50	1.6	377	9	20	101	30	12
122	J4108A-01	GCD	280	2	508	16	20	633	239	105
123	J4109A-01	GCD	280	2	508	16	20	710	258	89
124	YSKQ001	GC2	45	0.8	219	6	20	115.8	25	10
125	YSKQ002	GC2	45	0.8	159	4.5	304	62	25	10
126	YSKQ003	GC2	45	0.8	159	4.5	304	62.1	25	10
127	10HAN21BR 003	GCD	300	6.2	159	18	20G	51.4	33	15
128	10HAN21BR 001	GCD	300	6.2	108	11	20G	46.3	30	14
129	20HAN21BR 003	GCD	300	6.2	159	18	20G	16.9	15	6
130	20HAN21BR 001	GCD	300	6.2	108	11	20G	23.7	22	10
131	30HAN21BR 003	GCD	300	6.2	159	18	20G	47.9	26	11
132	30HAN21BR 001	GCD	300	6.2	108	11	20G	43	28	12
133	40HAN21BR 003	GCD	300	6.2	159	18	20G	10.6	12	5
134	40HAN21BR 001	GCD	300	6.2	108	11	20G	10.7	12	5
135	10HAN12BR 001	GCD	300	6.2	76	11	12Cr1MoVG	480	146	72
136	30LBE10BR 001	GCD	429.3	3.7	450	14	15CrMoG	16.9	45	15
137	30LBE10BR 002	GCD	429.3	3.7	457	19	20G	19.3		
138	30LBE11BR 191	GCD	429.3	3.7	219	8	15CrMoG	8.1		
139	40LBE10BR 001	GCD	429.3	3.7	450	14	15CrMoG	16	43	11
140	40LBE10BR 002	GCD	429.3	3.7	457	19	20G	17.6		
141	40LBE11BR 191	GCD	429.3	3.7	219	8	15CrMoG	8.1		
142	10MAM51BR 006	GCD	414	1.3	325	13	15CrMoG	39.2	28	10
143	20MAM51BR 006	GCD	414	1.3	325	13	15CrMoG	25.8	28	10
144	30/40MAM5 1BR006	GCD	406	0.108	325	10	20	74.8	42	18
145	30MAM51BR 006	GCD	414	1.3	159	5	20	22.3	20	7
146	40MAM51BR 006	GCD	414	1.3	159	5	20	22.9	20	7
147	YOLBN10BR 001	GCD	158	0.668	219	6	20	188.9	131	56
148	YOLAB10BR 002	GC2	158	0.668	457	9	20	155.6	182	62
149	10LAB11BR 002	GC2	158	0.668	325	7.5	20	33.4		

150	10LAB10BR 001	GC2	158	0.668	325	7.5	20	50.4		
151	MS2022367 01	GC1	434	5.6	450	18	15CrMoG	400	67	11
152	MS2022367 02	GC2	371.4	3.7	500	22	20G	405	74	11
153	BHY	GC1	45	6.4	50	3	20	66	77	24
154	BCY	GC1	45	6.4	65	4	20	22		
155	ZQG	GC2	250	1.6	80	4	20	24	29	8
156	LHY	GC2	45	6.4	65	4	20	12	28	8
157	XYG	GC2	45	1.6	125	4	20	62	107	37
158	GCY	GC2	45	1.6	80	4	20	55		
159	WYG	GC2	45	1.6	150	4.5	20	20	26	10
160	TSG	GC2	45	1.6	50	3	20	45	25	7
161	083NG- 0015-50- CCD	GC2	- 19~50	1.6	50	4	20	298	60	10

2. 本项目谈判文件的获取时间调整为：2025年5月19日至 2025年5月23日；开标时间调整为2025年5月26日9：30，其他内容不变。

请供应商依据以上澄清说明编制响应文件并参与开标。

特此澄清。

采购人：连云港中星能源有限公司

招标代理公司：江苏洋井技术咨询有限公司

2025年5月 21日